OVERCENTRE VALVE

MBDN-100-ALDE

DOUBLE ACTING

ATLANTIC Fluid Tech







SPECIFICATIONS

Max. operating pressure:	**350 bar**
Rated flow:	**100 l/min**
Manifold:	**Steel**
Weight:	**Steel 3,42 kg**

SEALING CAP

Ordering code:

PT000243





NOTES

Setting: at least 1.3 times the load induced pressure

ORDERING CODES

Quick code	Description	Pilot ratio	Main ports size	Manifold material	Standard setting (bar, Q=5 l/min)	Adjust. range (bar)	Pressur increase (bar/turn)
MB000398	**MBDN-100-ALDE-04-G12-N350**	**4:1**	V1,V2: **G 1/2"** C1,C2: **G 1/2"**	**Steel**	**350**	**100-350**	**118**
MB000400	**MBDN-100-ALDE-04-G12-N200**	**4:1**	V1,V2: **G 1/2"** C1,C2: **G 1/2"**	**Steel**	**200**	**70-210**	**68**
MB000395	**MBDN-100-ALDE-08-G12-N350**	**8:1**	V1,V2: **G 1/2"** C1,C2: **G 1/2"**	**Steel**	**350**	**100-350**	**132**
MB000401	**MBDN-100-ALDE-08-G12-N200**	**8:1**	V1,V2: **G 1/2"** C1,C2: **G 1/2"**	**Steel**	**200**	**70-210**	**74**